

VAD

VIEAEREEDIFFICILI



 **CARLO BIANCHI**
tecnologie chirurgiche

Sistema Socio Sanitario



Regione
Lombardia

ASST Garda



25 Maggio 2024



Difficult Airway Society 2015 guidelines for management of unanticipated difficult intubation in adults[†]

C. Frerk^{1,*}, V. S. Mitchell², A. F. McNarry³, C. Mendonca⁴, R. Bhagrath⁵, A. Patel⁶, E. P. O'Sullivan⁷, N. M. Woodall⁸ and I. Ahmad⁹, Difficult Airway Society intubation guidelines working group

British Journal of Anaesthesia, 115 (6): 827–48 (2015)

doi: [10.1093/bja/aev371](https://doi.org/10.1093/bja/aev371)


Advance Access Publication Date: 10 November 2015

Special Article



Airway Management of the Critically Ill Patient: Modifications of Traditional Rapid Sequence Induction and Intubation


Tim J Leeuwenburg • Published 2015 • Medicine





SCAN ME

T H E V O R T E X



FOR EACH LIFELINE CONSIDER:



MANIPULATIONS:

- HEAD & NECK
- LARYNX
- DEVICE



ADJUNCTS



SIZE / TYPE



SUCTION / O₂ FLOW



MUSCLE TONE

MAXIMUM THREE ATTEMPTS AT EACH LIFELINE (UNLESS GAMECHANGER)
AT LEAST ONE ATTEMPT SHOULD BE BY MOST EXPERIENCED CLINICIAN
PRIMING STATUS ESCALATES WITH UNSUCCESSFUL BEST EFFORT AT ANY LIFELINE






VortexApproach.org

© Copyright Nicholas Chrimes 2013, 2016, 2022
This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License






PRESIDI



LINEE GUIDA DAS 2015



FIBROSCOPIA DA SVEGLIO